

PLASMA:

《非高频》

手动NHF: IPT20C、40、60、80、100、IPT45插拔、IPT65插拔、
IPX62、82;、102、PMX45、65、85、105

自动NHF-AUTO: IPTM60-T、80-T、100-T、

IPXM62-T、82-T、102-T快换式: PMX-M45、65、85、105

数显: PMX-D105、IPT-D100

《高频》

手动HF: LT50、70、81、100、101、141、150、151

自动HF-AUTO: LTM50、70、81、100、101、141、150、151

水冷HF Water-Cooled: CB200、IPR400


等离子焊: IPW350

配件: 快速接头, 中央插座, 快插

LINKFORCE® PLASMA IPT 20C




- A** 额定电流 20A WITH **NHF**
- 35% 暂载率 35% DUTY CYCLE
- Pa 气压 2.0 BAR
- L/min 气流量 30L/min
- 气体延时 15s POST FLOW
- 切割厚度 4mm(500mm/min) RECOMMENDED VALUE




整枪订购编号+可选配附件
 Procurement code+Optional accessory (? = X or Y or Z)

A AVT0800+(?) 4M 2芯(2Wires)



B AVT0802+(?) 4M 4芯(4Wires)



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1990X AVG1990Y AVG1990Z		枪头套件 Torch head kit
● 1.1	MVS0662-03	60389K	胶木 Bakelite
1.2	MVS1662-05		玻纤 Fiber glass
● 2.1	MVU0661-06	PD0116-06	Φ0.6mm 20A
2.2	MVU0661-08	PD0116-08	Φ0.8mm 30A
● 3	MVF1601	60028	
● 4	MVB0660	PR0110	
5	MVZ0041	PF0096	
6.1	MHQ0433		适用于 Refer to Y、Z
● 6.2	MHQ0433-1		适用于 Refer to X
● 7.1	AGV1001X		
7.2	AGV1001Y		手柄组件 Handle kit
7.3	AGV1001Z		


LINKFORCE[®] PLASMA IPT 40




- A** 额定电流 40A WITH **NHF**
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L** 气流量 120-130L/min
- 气体延时 40s POST FLOW**
- 切割厚度 10mm(500mm/min) RECOMMENDED VALUE**

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A AVT0850+(?) 6M 2芯(2 Wires)




B AVT0852+(?) 6M 4芯(4 Wires)



C AVT0856+(?) 6M 1/4G 气电一体/2芯
Pneumatic-electric Integrated/2 Wires




D AVT0858+(?) 6M 1/4G 气电分体/2芯
Gas electric Separator/2 Wires



E AVT0854+(?) 6M 中央插头/2芯

F AVT00854+(?) 6M 中央插头/4芯
Central Adapter+2/4 Wires



配件订购编号
Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1992X AVG1992Y AVG1992Z		枪头套件 Torch head kit
● 1	MSM0098-01		
● 2.1	MVS0661-03	60389	胶木 Bakelite
2.2	MVS1661-05		玻纤 Fiber glass
2.3	MVS0685-03	60389K4	胶木 Bakelite
2.4	MVS1685-05		玻纤 Fiber glass
3.1	MVU0661-06	PD0116-06	Φ0.6mm 20A
3.2	MVU0661-08	PD0116-08	Φ0.8mm 30A
● 3.3	MVU0661-09	PD0116-09	Φ0.9mm 40A
● 4	MVF1601	60028	
● 5	MVB0660	PR0110	
6	MVZ0041	PF0096	
● 7.1	MHQ0433		适用于 Refer to Y、Z
7.2	MHQ0433-1		适用于 Refer to X
8.1	AGV1001X		
● 8.2	AGV1001Y		手柄组件 Handle kit
8.3	AGV1001Z		

PLASMA IPT 60




- A** 额定电流 60A WITH NHF
暂载率 60% DUTY CYCLE
气压 4.5-5.0 BAR
气流量 120-130L/min
气体延时 60s POST FLOW
切割厚度 16mm(500mm/min) RECOMMENDED VALUE

可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)


整枪订购编号+可选配附件

Procurement code+Optional accessory (? = X or Y or Z)


A AVT0826+(?) 6M 1/4G 气电一体/2芯
AVT0836+(?) 6M 1/4G 气电一体/2芯/后引弧
Pneumatic-electric Integrated/2 Wires/back striking



B AVT0828+(?) 6M 1/4G 气电分体/2芯
AVT0838+(?) 6M 1/4G 气电分体/2芯/后引弧
Gas electric Separator/2 Wires/back striking



C AVT0824+(?) 6M 中央插头/2芯
AVT0834+(?) 6M 中央插头/2芯/后引弧
D AVT00824+(?) 6M 中央插头/4芯
AVT00834+(?) 6M 中央插头/4芯/后引弧
Central Adapter+2/4 Wires/back striking



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●” is the standard configuration)

Position	Code	Ref.	Description	Position	Code	Ref.	Description
0	AVG1993X AVG1993Y AVG1993Z		枪头套件 Torch head kit	15.1	MVU0753-16	PD0258-16	40A气刨
1.1	MSM0098-01			15.2	MVU0753-18	PD0258-18	60A气刨
● 1.2	MSM0098	60432		16.1	MVU0751-09	PD0256-09	40A
2	MSM0769	60485		16.2	MVU0751-10	PD0256-10	50A
3	MSM0765	60487	气刨	16.3	MVU0751-11	PD0256-11	60A
4	MSM0761	60512L	加长 Lengthening	● 17	MVF1601	60028	
● 5.1	MVS0661-03	60389	胶木 Bakelite	18	MVB0660	PR0110	
5.2	MVS1661-05		玻纤 Fiber glass	● 19	MVB1048	52582	
6	MVS1689-05	60389C	玻纤 Fiber glass	20	MVB1049	52583	加长/Lengthening
7	MVS1688-05		玻纤/加长Glass fiber/Lengthening	● 21	MVZ0041	PF0096	
8.1	MVU0661-06	PD0116-06	Φ0.6mm 20A	● 22.1	MHQ0433		适用于 Refer to Y、Z
8.2	MVU0661-08	PD0116-08	Φ0.8mm 30A	22.2	MHQ0433-1		适用于 Refer to X
8.3	MVU0661-09	PD0116-09	Φ0.9mm 40A	23.1	AGV1001X		
9.1	MVU1660-06	51318.06	Φ0.6mm 20A	● 23.2	AGV1001Y		手柄组件 Handle kit
9.2	MVU1660-08	51318.08	Φ0.8mm 30A	23.3	AGV1001Z		
9.3	MVU1660-09	51318.09	Φ0.9mm 40A				
9.4	MVU1660-10	PD6110-10	Φ1.0mm 50A				
10.1	MVU1668-10	51313P.10	Φ1.0mm 50A平头				
● 10.2	MVU1668-11	51313P.11	Φ1.1mm 60A平头				
11	MVU1667-09	51312P.09	Φ0.9mm 40A接触				
12.1	MVU1609-06	51318L.06	Φ0.6mm20A加长				
12.2	MVU1609-08	51318L.08	Φ0.8mm30A加长				
13.1	MVU1603-09	51314.09	Φ0.9mm40A加长接触				
13.2	MVU1603-10	PD6108-10	Φ1.0mm50A加长接触				
14.1	MVU1658-09	51318C.09	Φ0.9mm 40A				
14.2	MVU1658-10	51318C.10	Φ1.0mm 50A				
14.3	MVU1658-11	51318C.11	Φ1.1mm 60A				

LINKFORCE® PLASMA IPT 80






- A** 额定电流 80A WITH NHF
- 暂载率 60% DUTY CYCLE
- 气压 4.5-5.0 BAR
- 气流量 150-160L/min
- 气体延时 80s POST FLOW
- 切割厚度 20mm(500mm/min) RECOMMENDED VALUE

可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

整枪订购编号+可选配附件

Procurement code+Optional accessory (? = X or Y or Z)

- | | | | |
|----------|-----------------------|------------|---|
| A | AVT0906+(?) | 6M | 1/4G 气电一体/2芯/后引弧 |
| | AVT0907+(?) | 12M | Pneumatic-electric Integrated/2 Wires/back striking |
| B | AVT0908+(?) | 6M | 1/4G 气电分体/2芯/后引弧 |
| | AVT0909+(?) | 12M | Gas electric Separator/2 Wires/back striking |
| C | AVT0904+(?) | 6M | 中央插头/2芯/后引弧 |
| | AVT0905+(?) | 12M | Central Adapter/2 Wires/back striking |
| D | AVT00904+(?) | 6M | 中央插头/4芯/后引弧 |
| | AVT00905+(?) | 12M | Central Adapter/4 Wires/back striking |
| E | AVT0904-00+(?) | 6M | 中央插头/同轴 |
| | AVT0905-00+(?) | 12M | Central Adapter/Coaxial |




配件订购编号

Consumables procurement code


(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description	Position	Code	Ref.	Description
0	AVG1994X AVG1994Y AVG1994Z		枪头套件 Torch head kit	15.1	AGV1001X		
● 1	MSM0098	60434		● 15.2	AGV1001Y		手柄组件 Handle kit
2	MSM0700	60504		15.3	AGV1001Z		
3	MSM1064	60508					
● 4	MVS1667-05	60510	玻纤 Fiber glass				
5	MVS1672-05	60511	接触				
6.1	MVU1670-10	51311. 10	Φ1.0mm 50A				
6.2	MVU1670-11	51311. 11	Φ1.1mm 60A				
6.3	MVU1670-12	51311. 12	Φ1.2mm 70A				
● 6.4	MVU1670-13	51311. 13	Φ1.3mm 80A				
7	MVU1671-09	51310. 09	Φ0.9mm 40A接触/无保护				
8.1	MVU1679-10	51311S. 10	Φ1.0mm 50A接触				
8.2	MVU1679-11	51311S. 11	Φ1.1mm 60A接触				
8.3	MVU1679-12	51311S. 12	Φ1.2mm 70A接触				
8.4	MVU1679-13	51311S. 13	Φ1.3mm 80A接触				
9	MVU1675-16	51311G. 16	Φ1.6mm 80A气刨				
● 10	MVF1665	60027					
● 11	MVB1669	52558					
● 12	MZN0773	09800. 42					
● 13	MVZ0043	PF0098					
● 14.1	MHQ0433		适用于 Refer to Y、Z				
● 14.2	MHQ0433-1		适用于 Refer to X				

LINKFORCE® PLASMA IPT 100



- A** 额定电流 100A WITH NHF
- 暂载率 60% DUTY CYCLE
- 气压 4.5-5.0 BAR
- 气流量 200L/min
- 气体延时 100s POST FLOW
- 切割厚度 25mm(500mm/min) RECOMMENDED VALUE



配件订购编号

Consumables procurement code


(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description	Position	Code	Ref.	Description
0	AVG1995X AVG1995Y AVG1995Z		枪头套件 Torch head kit	● 15	MVF1661	50026	
● 1	MSM0085	60444		● 16	MVB1676	52556	
2	MSM0700	60504		● 17	MZN0774	09700. 48	
3	MSM0644			18	MVZ0045	PF0095	
4	MSM1064	60508		● 19.1	MHQ0433		适用于 Refer to Y、Z
5	MVS1678-05	60500	玻纤 Fiber glass	19.2	MHQ0433-1		适用于 Refer to X
● 6	MVS1676-05	60501	玻纤 Fiber glass	20.1	AGV1001X		
7	MVS1674-05	60502	接触	● 20.2	AGV1001Y		手柄组件 Handle kit
8	MVU1672-09	51245. 09	Φ0.9mm 30-40A	20.3	AGV1001Z		
9.1	MVU1678-10	51246. 10	Φ1.0mm 50A				
9.2	MVU1678-11	51246. 11	Φ1.1mm 60A				
9.3	MVU1678-12	51246. 12	Φ1.2mm 70A				
10.1	MVU1676-14	51248. 14	Φ1.4mm 90A				
10.2	MVU1676-15	51248. 15	Φ1.5mm 100A				
● 10.3	MVU1676-16	51248. 16	Φ1.6mm 100-120A				
11.1	MVU1674-10	51276. 10	Φ1.0mm 50A接触				
11.2	MVU1674-11	51276. 11	Φ1.1mm 60A接触				
11.3	MVU1674-12	51276. 12	Φ1.2mm 70A接触				
12.1	MVU1686-14	51278. 14	Φ1.4mm 90A接触				
12.2	MVU1686-15	51278. 15	Φ1.5mm 100A接触				
12.3	MVU1686-16	51278. 16	Φ1.6mm 100-120A接触				
13	MVU1687-22	51278G. 22	Φ2.2mm 120A气割				
14	MVF1662	50025					

整枪订购编号+可选配附件

Procurement code+Optional accessory (? = X or Y or Z)

- A** AVT0976+(?) 6M 1/4G 气电一体/2芯/后引弧
AVT0977+(?) 12M Pneumatic-electric Integrated/2 Wires/back striking
- B** AVT0978+(?) 6M 1/4G 气电分体/2芯/后引弧
AVT0979+(?) 12M Gas electric Separator/2 Wires/back striking
- C** AVT0974+(?) 6M 中央插头/2芯/后引弧
AVT0975+(?) 12M Central Adapter/2 Wires/back striking
- D** AVT00974+(?) 6M 中央插头/4芯/后引弧
AVT00975+(?) 12M Central Adapter/4 Wires/back striking
- E** AVT0974-00+(?) 6M 中央插头/同轴
AVT0975-00+(?) 12M Central Adapter/Coaxial



MADE IN CHINA

IPT 100

SPARE PARTS 配件 IPT 100



PLASMAIPT 45插拔式



- A** 额定电流 45A WITH NHF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.4-5.0 BAR
- L min** 气流量 130-140L/min
- 气体延时 40s POST FLOW**
-]]** 切割厚度 12mm(500mm/min) RECOMMENDED VALUE

整枪订购编号+可选配附件
 Procurement code+Optional accessory (? = X or Y or Z)

- A AVT02161+(?) 4M** 1/4G 气电一体/2芯
Pneumatic-electric Integrated/2 Wires
- B AVT02162+(?) 4M** 1/4G 气电分体/2芯
Gas electric Separator/2 Wires
- C AVT02163+(?) 4M** 中央插头/2芯
- D AVT021630+(?) 4M** 中央插头/4芯
Central Adapter+2/4 Wires



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG0995X AVG0995Y AVG0995Z		枪头套件 Torch head kit
● 1	MSM0098-04	60432	
● 2.1	MVS0661-03	60389	胶木
2.2	MVS1661-05		玻纤 Fiber glass
3.1	MVU0792-08	PD0247-08	Φ0.8mm 30A
● 3.2	MVU0792-09	PD0247-09	Φ0.9mm 40A
● 4	MVF1601	60028	
5	MVB1048-03	PR6093-03	
● 6	MVZ0041-03	PF0096-03	
● 7.1	MHQ0433		适用于 Refer to Y、Z
7.2	MHQ0433-1		适用于 Refer to X
8.1	AGV1001X		
● 8.2	AGV1001Y		手柄组件 Handle kit
8.3	AGV1001Z		

LINKFORCE® PLASMAIPT 65插拔式





可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 65A WITH NHF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.4-5.0 BAR
- L/min** 气流量 140-150L/min
- 气体延时 60s POST FLOW**
- 切割厚度 18mm(500mm/min) RECOMMENDED VALUE**

整枪订购编号+可选配附件

Procurement code+Optional accessory (? = X or Y or Z)

- A** AVT03171+(?) 6M 1/4G 气电一体/2芯
Pneumatic-electric Integrated/2 Wires
- B** AVT03172+(?) 6M 1/4G 气电分体/2芯
Gas electric Separator/2 Wires
- C** AVT03173+(?) 6M 中央插头/2芯
Central Adapter/2 Wires
- D** AVT031730+(?) 6M 中央插头/4芯
Central Adapter+2/4 Wires
- E** AVT03174+(?) 6M 中央插头/同轴
Central Adapter/Coaxial



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG0996X AVG0996Y AVG0996Z		枪头套件 Torch head kit
● 1	MSM0098-04	60432	
● 2.1	MVS0661-03	60389	胶木
2.2	MVS1661-05		玻纤 Fiber glass
3	MSM0620	CV0170	
4	MSM0658	CV0153	
5	MVS0632-05	PC0187-05	玻纤 Fiber glass
● 6	MVU0792-11-00	PD0247-11-00	Φ1.1mm 65A宽头
7.1	MVU0792-09	PD0247-09	Φ0.9mm 40A
7.2	MVU0792-11	PD0247-11	Φ1.1mm 60A
8	MVF1601	60028	
● 9	MVB1048-06	PR6093-06	
10	MVZ0041-03	PF0096-03	
● 11.1	MHQ0433		适用于 Refer to Y、Z
11.2	MHQ0433-1		适用于 Refer to X
12.1	AGV1001X		
● 12.2	AGV1001Y		手柄组件 Handle kit
12.3	AGV1001Z		

IPT 65插拔式

MADE IN CHINA

SPARE PARTS 配件 IPT 65插拔式

PLASMA IPX 62





- A** 额定电流 60A WITH NHF
 暂载率 60% DUTY CYCLE
 气压 4.4-5.0 BAR
 气流量 120-130L/min
 气体延时 60s POST FLOW
 切割厚度 18mm(500mm/min) RECOMMENDED VALUE

可选配附件 (X or Y or Z)
 X表示基础样式 (X=Basic Style)
 Y表示有LED灯 (Y=LED)
 Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

整枪订购编号+可选配附件

Procurement code+Optional accessory (? = X or Y or Z)

- A** AVT2826+(?) 6M 1/4G 气电一体/2芯
 Pneumatic-electric Integrated/2 Wires
- B** AVT2828+(?) 6M 1/4G 气电分体/2芯
 Gas electric Separator/2 Wires
- C** AVT2824+(?) 6M 中央插头/2芯
 Central Adapter/2/4 Wires
- D** AVT20824+(?) 6M 中央插头/4芯
 Central Adapter/2/4 Wires
- E** AVT2824-00+(?) 6M 中央插头/同轴
 Central Adapter/Coaxial



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description	Position	Code	Ref.	Description
0	AVG1996X AVG1996Y AVG1996Z		枪头套件 Torch head kit	● 13.1	MHQ0433		适用于 Refer to Y、Z
● 1	MSM0620	CV0170		13.2	MHQ0433-1		适用于 Refer to X
2	MSM0675	CV0125	气刨	14.1	AGV1001X		
3	MSM0679	CV0124	加长	● 14.2	AGV1001Y		手柄组件 Handle kit
● 4	MSM0658	CV0153		14.3	AGV1001Z		
● 5	MVS0632-05	PC0187-05	玻纤 Fiber glass				
6.1	MVU0792-08	PD0247-08	Φ0.8mm 30A				
6.2	MVU0792-09	PD0247-09	Φ0.9mm 40A				
6.3	MVU0792-10	PD0247-10	Φ1.0mm 50A				
● 6.4	MVU0792-11	PD0247-11	Φ1.1mm 60A				
7	MVU0756	PD0251	30-60A 气刨				
8.1	MVU0794-08	PD0249-08	Φ0.8mm 30A加长				
8.2	MVU0794-09	PD0247-09	Φ0.9mm 40A加长				
8.3	MVU0794-10	PD0247-10	Φ1.0mm 50A加长				
8.4	MVU0794-11	PD0247-11	Φ1.1mm 60A加长				
● 9	MVF0052	PE0057					
● 10	MVB1048	PR6093					
11	MVB1049	PR6094	加长				
12	MVZ0041						

PLASMA IPX 82






可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 80A WITH NHF
- 60% 暂载率 60% DUTY CYCLE
- Pa 气压 4.4-5.0 BAR
- L/min 气流量 150-160L/min
- 气体延时 80s POST FLOW
- 切割厚度 25mm(500mm/min) RECOMMENDED VALUE

整枪订购编号+可选配附件

Procurement code+Optional accessory (? = X or Y or Z)

A	AVT2906+(?)	6M	1/4G 气电一体/2芯
	AVT2907+(?)	12M	Pneumatic-electric Integrated/2 Wires
B	AVT2908+(?)	6M	1/4G 气电分体/2芯
	AVT2909+(?)	12M	Gas electric Separator/2 Wires
C	AVT2904+(?)	6M	中央插头/2芯
	AVT2905+(?)	12M	Central Adapter+2 Wires
D	AVT20904+(?)	6M	中央插头/4芯
	AVT20905+(?)	12M	Central Adapter+4 Wires
E	AVT2904-00+(?)	6M	中央插头/同轴
	AVT2905-00+(?)	12M	Central Adapter/Coaxial



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1997X AVG1997Y AVG1997Z		枪头套件 Torch head kit
● 1	MSM0678	CV0123	
2	MSM0659	CV0154	气刨
● 3	MSM0658	CV0153	
● 4	MVS0630-05	PC0180-05	玻纤 Fiber glass
5.1	MVU0790-09	PD0240-09	Φ0.9mm 40A
5.2	MVU0790-10	PD0240-10	Φ1.0mm 50A
5.3	MVU0790-11	PD0240-11	Φ1.1mm 60A
5.4	MVU0790-12	PD0240-12	Φ1.2mm 70A
● 5.5	MVU0790-13	PD0240-13	Φ1.3mm 80A
6	MVU0793		30A 气刨
7	MVF0050	PE0050	
8	MVB1669	PR6614	
9	MZN0773	FH0228	
10	MVZ0043-02	PF0098-02	
● 11.1	MHQ0433		适用于 Refer to Y、Z
11.2	MHQ0433-1		适用于 Refer to X
12.1	AGV1001X		
● 12.2	AGV1001Y		手柄组件 Handle kit
12.3	AGV1001Z		

PLASMA IPX 102




可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A 额定电流 120A WITH NHF
- 60% 暂载率 60% DUTY CYCLE
- Pa 气压 5.0 BAR
- L/min 气流量 200L/min
- 气体延时 100s POST FLOW
- 切割厚度 30mm(500mm/min) RECOMMENDED VALUE

整枪订购编号+可选配附件

Procurement code+Optional accessory (? = X or Y or Z)

A	AVT2976+(?)	6M	1/4G 气电一体/2芯
	AVT2977+(?)	12M	Pneumatic-electric Integrated/2 Wires
B	AVT2978+(?)	6M	1/4G 气电分体/2芯
	AVT2979+(?)	12M	Gas electric Separator/2 Wires
C	AVT2974+(?)	6M	中央插头/2芯
	AVT2975+(?)	12M	Central Adapter+2 Wires
D	AVT20974+(?)	6M	中央插头/4芯
	AVT20975+(?)	12M	Central Adapter+4 Wires
E	AVT2974-00+(?)	6M	中央插头/同轴
	AVT2975-00+(?)	12M	Central Adapter/Coaxial




配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1998X AVG1998Y AVG1998Z		枪头套件 Torch head kit
1	MSM6664	CV1119	40-80A
● 2	MSM6665	CV1115	100-120A
3	MSM0766	CV0211	气刨
4	MSM0767	CV0212	40-80A 加长
5	MSM0768	CV0213	100A 加长
● 6	MSM0655	CV0155	0.6 0.6
7	MVS0634-05	PC0189-05	玻纤 Fiber glass 40-80A
● 8	MVS0631-05	PC0186-05	玻纤 Fiber glass 100-120A
9.1	MVU0754-10	PD0259-10	Φ1.0mm 40A
9.2	MVU0754-11	PD0259-11	Φ1.1mm 50A
9.3	MVU0754-12	PD0259-12	Φ1.2mm 60A
9.4	MVU0754-14	PD0259-14	Φ1.4mm 80A
● 10.1	MVU0791-16	PD0246-16	Φ1.6mm100-120A
10.2	MVU0791-18	PD0246-18	Φ1.8mm 120A
11	MVU0757	PD0252	40-120A 气刨
12.1	MVU0755-10	PD0255-10	Φ1.0mm 50A加长
12.2	MVU0755-11	PD0255-11	Φ1.1mm 60A加长
12.3	MVU0755-12	PD0255-12	Φ1.2mm 70A加长
12.4	MVU0755-14	PD0255-14	Φ1.4mm 90A加长
13	MVU0759-16	PD0255-16	Φ1.6mm100A加长

Position	Code	Ref.	Description
14	MVF0053	PE0058	
● 15	MVF0051	PE0056	
● 16	MVB0631	PR0186	
17	MVB0637	PR0187	
● 18.1	MZN0707	FH0202	
18.2	MZN0644	FH0199	加长
19	MVZ0044	PF0099	
● 20.1	MHQ0433		适用于 Refer to Y、Z
20.2	MHQ0433-1		适用于 Refer to X
21.1	AGV1002X		
● 21.2	AGV1002Y		手柄组件 Handle kit
21.3	AGV1002Z		





LINKFORCE[®] PLASMA PMX 45



- A** 额定电流 45A WITH NHF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 5.0 BAR
- L min** 气流量 155-165L/min
- 沙漏** 气体延时 40s POST FLOW
-]]** 切割厚度 12mm(600mm/min) RECOMMENDED VALUE

整枪订购编号+可选配附件
 Procurement code+Optional accessory (? = X or Y or Z)

- | | | | |
|----------|---|------------------------|---|
| A | AVT03101+(?) | 6M | 1/4G 气电一体/2芯
Pneumatic-electric Integrated/2 Wires |
| B | AVT03102+(?) | 6M | 1/4G 气电分体/2芯
Gas electric Separator/2 Wires |
| C | AVT03103+(?)
AVT031030+(?) | 6M
6M | 中央插头/2芯
中央插头/4芯
Central Adapter+2/4 Wires |
| D | AVT03104+(?) | 6M | 中央插头/同轴
Central Adapter/Coaxial |



配件订购编号
 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG0989X AVG0989Y AVG0989Z		枪头套件 Torch head kit
1	MSM0674	CV0129	
● 2	MSM0629	CV0174	
● 3	MVS0692	PC0147	
4	MVU0657-09	PD0152-09	Φ0.9mm 45A
● 5	MVU0659-09	PD0154-09	Φ0.9mm 45A
● 6	MVF3000	PE8000	
● 7	MVB3045	PR8095	
8	MVZ0693	PF0148	
● 9.1	MHQ0433		适用于 Refer to Y、Z
9.2	MHQ0433-1		适用于 Refer to X
10.1	AGV1001X		
● 10.2	AGV1001Y		手柄组件 Handle kit
10.3	AGV1001Z		



LINKFORCE® PLASMA PMX 65



- A** 额定电流 65A WITH NHF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 5.0 BAR
- L/min** 气流量 175-185L/min
- 气体延时 60s POST FLOW**
-]]** 切割厚度 16mm(500mm/min) RECOMMENDED VALUE

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

- A** AVT03111+(?) 6M 1/4G 气电一体/2芯
Pneumatic-electric Integrated/2 Wires
- B** AVT03102+(?) 6M 1/4G 气电分体/2芯
Gas electric Separator/2 Wires
- C** AVT03113+(?) 6M 中央插头/2芯
AVT031130+(?) 6M 中央插头/4芯
Central Adapter+2/4 Wires
- D** AVT03114+(?) 6M 中央插头/同轴
Central Adapter/Coaxial



配件订购编号
Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG0991X AVG0991Y AVG0991Z		枪头套件 Torch head kit
● 1	MSM0623	CV0178	
2	MSM0711	CV0261	气刨 Gouging
● 3	MVS0693	PC0148	
4.1	MVU0653-09	PD0158-09	Φ0.9mm 45A
● 4.2	MVU0653-11	PD0158-11	Φ1.1mm 65A
5	MVU0632-13	PD0186-13	气刨 Gouging
● 6	MVF3001	PE8006	
● 7	MVB0032	PR0087	
8	MVZ0694	PF0149	
● 9.1	MHQ0433		适用于 Refer to Y、Z
9.2	MHQ0433-1		适用于 Refer to X
10.1	AGV1002X		
● 10.2	AGV1002Y		手柄组件 Handle kit
10.3	AGV1002Z		

PLASMA PMX 85





可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 85A WITH NHF
- 60% 暂载率 60% DUTY CYCLE
- Pa 气压 5.0 BAR
- L/min 气流量 220-230L/min
- 气体延时 80s POST FLOW
- 切割厚度 20mm(600mm/min) RECOMMENDED VALUE

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

- A** AVT03231+(?) 6M 1/4G 气电一体/2芯
Pneumatic-electric Integrated/2 Wires
- B** AVT03232+(?) 6M 1/4G 气电分体/2芯
Gas electric Separator/2 Wires
- C** AVT03233+(?) 6M 中央插头/2芯
AVT032330+(?) 6M 中央插头/4芯
Central Adapter+2/4 Wires
- D** AVT03234+(?) 6M 中央插头/同轴
Central Adapter/Coaxial



配件订购编号
Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG0992X AVG0992Y AVG0992Z		枪头套件 Torch head kit
● 1	MSM0623	CV0178	
2	MSM0711	CV0261	气刨 Gouging
● 3	MVS0693	PC0148	
4.1	MVU0653-09	PD0158-09	Φ0.9mm 45A
● 4.2	MVU0653-11	PD0158-11	Φ1.1mm 65A
4.3	MVU0653-13	PD0158-13	Φ1.3mm 85A
5	MVU0632-13	PD0186-13	气刨 Gouging
● 6	MVF3001	PE8006	
● 7	MVB0032	PR0087	
8	MVZ0694	PF0149	
● 9.1	MHQ0433		适用于 Refer to Y、Z
9.2	MHQ0433-1		适用于 Refer to X
10.1	AGV1002X		
● 10.2	AGV1002Y		手柄组件 Handle kit
10.3	AGV1002Z		



PLASMA PMX 105



- A** 额定电流 105A WITH NHF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 5.0 -5.5BAR
- L/min** 气流量 250-260L/min
- 气体延时 100s POST FLOW**
- 切割厚度 25mm(500mm/min) RECOMMENDED VALUE**

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

- A** AVT03241+(?) 6M 1/4G 气电一体/2芯
Pneumatic-electric Integrated/2 Wires
- B** AVT03242+(?) 6M 1/4G 气电分体/2芯
Gas electric Separator/2 Wires
- C** AVT03243+(?) 6M 中央插头/2芯
AVT032430+(?) 6M 中央插头/4芯
Central Adapter+2/4 Wires
- D** AVT03244+(?) 6M 中央插头/同轴
Central Adapter/Coaxial



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG0993X AVG0993Y AVG0993Z		枪头套件 Torch head kit
1.1	MSM0623	CV0178	45-85A
● 1.2	MSM0621	CV0176	105A
2	MSM0711	CV0261	气刨 Gouging 45-105A
3.1	MVS0693	PC0148	45-85A
● 3.2	MVS0694	PC0149	105A
4.1	MVU0653-09	PD0158-09	Φ0.9mm 45A
4.2	MVU0653-11	PD0158-11	Φ1.1mm 65A
4.3	MVU0653-13	PD0158-13	Φ1.3mm 85A
● 5	MVU0653-15	PD0158-15	Φ1.5mm 105A
6	MVU0632-13	PD0186-13	Φ1.3mm 气刨 Gouging 45-85A
7	MVU0632-15	PD0186-15	Φ1.3mm 气刨 Gouging 105A
● 8	MVF3003	PE8008	
● 9	MVB0032	PR0087	
10	MVZ0694	PF0149	
● 11.1	MHQ0433		适用于 Refer to Y、Z
11.2	MHQ0433-1		适用于 Refer to X
12.1	AGV1002X		
● 12.2	AGV1002Y		手柄组件 Handle kit
12.3	AGV1002Z		



PLASMA IPTM 60-T



- A

额定电流 60A WITH NHF
- 60%

暂载率 60% DUTY CYCLE
- Pa

气压 4.5-5.0 BAR
- L

min

气流量 120-130L/min
- ⌚

气体延时 60s POST FLOW
-]]

切割厚度 16mm(500mm/min) RECOMMENDED VALUE

整枪订购编号

Procurement code

- A

MVT33041-00

6M

1/4G 气电一体/后引弧

Pneumatic-electric Integrated/back striking
- B

MVT33042-00

6M

1/4G 气电分体/后引弧

Gas electric Separator/back striking
- C

MVT33043-00

6M

中央插头/后引弧



Central Adapter/back striking
- D

MVT33044-00

6M

中央插头/同轴

Central Adapter/back striking



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0617		枪头套件 Torch head kit
1	MSM0765	60487	
● 2	MVS0661-03	60389	胶木 Bakelite
3	MVS1661-05		玻纤 Fiber glass
4	MVS1689-05	60389C	玻纤 Fiber glass
5.1	MVU0661-06	PD0116-06	Φ0.6mm 20A
5.2	MVU0661-08	PD0116-08	Φ0.8mm 30A
5.3	MVU0661-09	PD0116-09	Φ0.9mm 40A
6.1	MVU1660-06	51318. 06	Φ0.6mm 20A
6.2	MVU1660-08	51318. 08	Φ0.8mm 30A
6.3	MVU1660-09	51318. 09	Φ0.9mm 40A
6.4	MVU1660-10	PD6110-10	Φ1.0mm 50A
7.1	MVU1668-10	51313P. 10	Φ1.0mm 50A平头
● 7.2	MVU1668-11	51313P. 11	Φ1.1mm 60A平头
8.1	MVU1658-09	51318C. 09	40A
8.2	MVU1658-10	51318C. 10	50A
8.3	MVU1658-11	51318C. 11	60A
9.1	MVU0753-16	PD0258-16	40A气刨
9.2	MVU0753-18		60A气刨
● 10	MVF1601	60028	
11	MVB0660	PR0110	
● 12	MVB1048	52582	
13	MVZ0720		



PLASMA IPTM 80-T



- A** 额定电流 80A WITH **NHF**
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 150-160L/min
- ⌚** 气体延时 80s POST FLOW
-]]** 切割厚度 20mm(500mm/min) RECOMMENDED VALUE

整枪订购编号 Procurement code

- | | | | |
|----------|--------------------|-----------|---|
| A | MVT33051-00 | 6M | 1/4G 气电一体/后引弧
Pneumatic-electric Integrated/back striking |
| B | MVT33052-00 | 6M | 1/4G 气电分体/后引弧
Gas electric Separator/back striking |
| C | MVT33053-00 | 6M | 中央插头/后引弧 |
| D | MVT33054-00 | 6M | 中央插头/同轴
Central Adapter/back striking |



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0618		枪头套件 Torch head kit
1	MSM1064	60508	气刨 Gouging
● 2	MVS1667-05	60510	玻纤 Fiber glass
3	MVS1672-05	60511	接触 Contact
4.1	MVU1670-10	51311. 10	Φ1.0mm 50A
4.2	MVU1670-11	51311. 11	Φ1.1mm 60A
4.3	MVU1670-12	51311. 12	Φ1.2mm 70A
● 4.4	MVU1670-13	51311. 13	Φ1.3mm 80A
5	MVU1675-16	51311G. 16	Φ1.6mm80A 气刨Gouging
● 6	MVF1665	60027	
● 7	MVB1669	52558	
● 8	MZN0773	FH0228	
9	MVZ0721		



PLASMA IPTM 100-T



- A** 额定电流 100A WITH **NHF**
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L/min** 气流量 200L/min
- ⌚** 气体延时 100s POST FLOW
-]]** 切割厚度 25mm(500mm/min) RECOMMENDED VALUE

整枪订购编号 Procurement code

- | | | | |
|----------|--------------------|-----------|---|
| A | MVT33061-00 | 6M | 1/4G 气电一体/后引弧
Pneumatic-electric Integrated/back striking |
| B | MVT33062-00 | 6M | 1/4G 气电分体/后引弧
Gas electric Separator/back striking |
| C | MVT33063-00 | 6M | 中央插头/后引弧
Central Adapter/back striking |
| D | MVT33064-00 | 6M | 中央插头/同轴
Central Adapter/back striking |



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0619		枪头套件 Torch head kit
1	MSM1064	60508	气刨 Gouging
2	MVS1678-05	60500	玻纤Fiber glass 30-70A
● 3	MVS1676-05	60501	玻纤Fiber glass 80-120A
4	MVS1674-05	60502	接触 Contact
5.1	MVU1678-10	51246. 10	Φ1.0mm 50A
5.2	MVU1678-11	51246. 11	Φ1.1mm 60A
5.3	MVU1678-12	51246. 12	Φ1.2mm 70A
6.1	MVU1676-14	51248. 14	Φ1.4mm 90A
6.2	MVU1676-15	51248. 15	Φ1.5mm 100A
● 6.3	MVU1676-16	51248. 16	Φ1.6mm 100-120A
7	MVU1687-22	51248G. 22	Φ2.2mm120A 气刨Gouging
8	MVF1662	60025	30-70A
● 9	MVF1661	60026	80-120A
● 10	MVB1676	52556	
● 11	MZN0774	FH0229	
12	MVZ0722		

 PLASMA IPXM 62-T



- A

额定电流 60A WITH NHF
- 60%

暂载率 60% DUTY CYCLE
- Pa

气压 4.5-5.0 BAR
- L

min

气流量 120-130L/min
- ⌚

气体延时 60s POST FLOW
-]]

切割厚度 18mm(500mm/min) RECOMMENDED VALUE

整枪订购编号

Procurement code

- A

MVT33071

6M

1/4G 气电一体/后引弧

Pneumatic-electric Integrated/back striking
- B

MVT33072

6M

1/4G 气电分体/后引弧

Gas electric Separator/back striking
- C

MVT33073

6M

中央插头/后引弧



Central Adapter/back striking
- D

MVT33074

6M

中央插头/同轴

Central Adapter/back striking



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0654		枪头套件 Torch head kit
● 1	MSM0652	CV0157	
2	MSM0675	CV0125	
● 3	MSM0658	CV0153	
● 4	MVS0632-05	PC0187-05	玻纤 Fiber glass
5.1	MVU0792-08	PD0247-08	Φ0.8mm 30A
5.2	MVU0792-09	PD0247-09	Φ0.9mm 40A
5.3	MVU0792-10	PD0247-10	Φ1.0mm 50A
● 5.4	MVU0792-11	PD0247-11	Φ1.1mm 60A
6	MVU0756	PD0251	30-60A气刨Gouging
● 7	MVF0052	PE0057	
● 8	MVB1048	PR6093	
9	MVZ0720		



PLASMA IPXM 82-T



- A** 额定电流 80A WITH NHF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 150-160L/min
- 沙漏** 气体延时 80s POST FLOW
-]]** 切割厚度 25mm(500mm/min) RECOMMENDED VALUE

整枪订购编号 Procurement code

- | | | | |
|----------|-----------------|-----------|---|
| A | MVT33081 | 6M | 1/4G 气电一体/后引弧
Pneumatic-electric Integrated/back striking |
| B | MVT33082 | 6M | 1/4G 气电分体/后引弧
Gas electric Separator/back striking |
| C | MVT33083 | 6M | 中央插头/后引弧 |
| D | MVT33084 | 6M | 中央插头/同轴
Central Adapter/back striking |



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0655		枪头套件 Torch head kit
● 1	MSM0652	CV0157	
2	MSM0659	CV0154	
● 3	MSM0658	CV0153	
● 4	MVS0630-05	PC0180-05	玻纤 Fiber glass
5.1	MVU0790-09	PD0240-09	Φ0.9mm 40A
5.2	MVU0790-10	PD0240-10	Φ1.0mm 50A
5.3	MVU0790-11	PD0240-11	Φ1.1mm 60A
5.4	MVU0790-12	PD0240-12	Φ1.2mm 70A
● 5.5	MVU0790-13	PD0240-13	Φ1.3mm 80A
6	MVU0793		30-80A气刨Gouging
● 7	MVF0050	PE0050	
● 8	MVB1669	PR6614	
● 9	MZN0773	FH0228	
10	MVZ0721		

 PLASMA IPXM 102-T



- A

额定电流 120A WITH NHF
- 60%

暂载率 60% DUTY CYCLE
- Pa

气压 5.0 BAR
- L
min

气流量 200L/min
- ⌚

气体延时 100s POST FLOW
-]]

切割厚度 30mm(500mm/min) RECOMMENDED VALUE

整枪订购编号

Procurement code

- A

MVT33091

6M

1/4G 气电一体/后引弧

Pneumatic-electric Integrated/back striking
- B

MVT33092

6M

1/4G 气电分体/后引弧

Gas electric Separator/back striking
- C

MVT33093

6M

中央插头/后引弧



Central Adapter/back striking
- D

MVT33094

6M

中央插头/同轴

Central Adapter/back striking



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description	Position	Code	Ref.	Description
0	MVG0656		枪头套件 Torch head kit	10.4	MVU0755-14	PD0255-14	Φ1.4mm 80A
1	MSM0653	CV0158	40-80A	11	MVU0759-16	PD0254-16	Φ1.6mm 100A
● 2	MSM0654	CV0159	100-120A	12	MVF0053	PE0058	
3	MSM0766	CV0211		● 13	MVF0051	PE0056	
● 4.1	MSM0655	CV0155		● 14	MVB0631	PR0186	
4.2	MSM0655-01	CV0155-1		● 15	MVB0637	PR0187	
5	MVS0634-05	PC0189-05	玻纤Fiber glass40-80A	● 16.1	MZN0707	FH0202	
● 6	MVS0631-05	PC0186-05	玻纤Fiber glass100-120A	16.2	MZN0644	FH0199	
7.1	MVU0754-10	PD0259-10	Φ1.0mm 40A	17	MVZ0723		
7.2	MVU0754-11	PD0259-11	Φ1.1mm 50A				
7.3	MVU0754-12	PD0259-12	Φ1.2mm 60A				
7.4	MVU0754-14	PD0259-14	Φ1.4mm 80A				
● 8.1	MVU0791-16	PD0246-16	Φ1.6mm 100A				
8.2	MVU0791-18	PD0246-18	Φ1.8mm 120A				
9	MVU0757	PD0252	40-120A 气刨Gouging				
10.1	MVU0755-10	PD0255-10	Φ1.0mm 40A				
10.2	MVU0755-11	PD0255-11	Φ1.1mm 50A				
10.3	MVU0755-12	PD0255-12	Φ1.2mm 60A				



MADE IN CHINA

IPXM 102-T



SPARE PARTS 配件 IPXM 102-T



- A** 额定电流 45A/65A WITH **NHF**
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 5.0 BAR
- L** 气流量 155-165L/min
- 沙漏** 气体延时 40s POST FLOW
-]]** 切割厚度 12mm(600mm/min) RECOMMENDED VALUE

整枪订购编号 Procurement code

- A** **MVT13101** **6M** **1/4G 气电一体**
Pneumatic-electric Integrated
- B** **MVT13102** **6M** **1/4G 气电分体**
Gas electric Separator
- C** **MVT13103** **6M** 中央插头/EPDM外皮
- D** **MVT13104** **6M** 中央插头/同轴
Central Adapter/epdm tube



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0690		同轴电缆枪头套件
	MVG0690-01		EPDM外皮枪头套件
1	MSM0626	CV0170	
● 2	MSM0625	CV0175	
● 3	MVS0692	PC0147	
4	MVU0657-09	PD0152-09	Φ0.9mm 45A
● 5	MVU0659-09	PD0154-09	Φ0.9mm 45A
● 6	MVF3000	PE8000	
● 7	MVB3045		
● 8	MVZ0650		


PLASMA **PMX-M65**



- A** 额定电流 65A WITH **NHF**
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 5.0 BAR
- L** 气流量 175-185L/min
- 气体延时 60s POST FLOW**
-]]** 切割厚度 16mm(500mm/min) RECOMMENDED VALUE

整枪订购编号
Procurement code

- A MVT13111 6M 1/4G 气电一体**
Pneumatic-electric Integrated
- B MVT13113 6M 中央插头/EPDM外皮**
- C MVT13114 6M 中央插头/同轴**
Central Adapter/epdm tube



配件订购编号
Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0692		同轴电缆枪头套件
	MVG0692-01		EPDM外皮枪头套件
● 1	MSM0624	CV0179	
2	MSM0711	CV0261	气刨 Gouging
● 3	MVS0693	PC0148	
4.1	MVU0653-09	PD0158-09	Φ0.9mm 45A
● 4.2	MVU0653-11	PD0158-11	Φ1.1mm 65A
5	MVU0632-13	PD0186-13	气刨 Gouging
● 6	MVF3001	PE8006	
● 7	MVB0032		
● 8	MVZ0651		



PLASMA PMX-M85



- A** 额定电流 85A WITH NHF
- 60% 暂载率 60% DUTY CYCLE
- Pa 气压 5.0 BAR
- L/min 气流量 220-230L/min
- 气体延时 80s POST FLOW
- 切割厚度 20mm(600mm/min) RECOMMENDED VALUE

整枪订购编号 Procurement code

- A** MVT13231 6M 1/4G 气电一体
Pneumatic-electric Integrated
- B** MVT13233 6M 中央插头/EPDM外皮
- C** MVT13234 6M 中央插头/同轴
Central Adapter/epdm tube



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0693		同轴电缆枪头套件
	MVG0693-01		EPDM外皮枪头套件
● 1	MSM0624	CV0179	
2	MSM0711	CV0261	气刨 Gouging
● 3	MVS0693	PC0148	
4.1	MVU0653-09	PD0158-09	Φ0.9mm 45A
4.2	MVU0653-11	PD0158-11	Φ1.1mm 65A
● 4.3	MVU0653-13	PD0158-13	Φ1.3mm 85A
5	MVU0632-13	PD0186-13	气刨 Gouging
● 6	MVF3001	PE8006	
● 7	MVB0032		
● 8	MVZ0651		



PLASMA PMX-M105



- A** 额定电流 105A WITH NHF
- 60% 暂载率 60% DUTY CYCLE
- 气压 5.0-5.5 BAR
- 气流量 255L/min
- 气体延时 120s POST FLOW
- 切割厚度 16mm(500mm/min) RECOMMENDED VALUE

整枪订购编号
Procurement code

- A** MVT13241 6M 1/4G 气电一体
Pneumatic-electric Integrated
- B** MVT13243 6M 中央插头/EPDM外皮
- C** MVT13244 6M 中央插头/同轴
Central Adapter/epdm tube



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)


Position	Code	Ref.	Description
0	MVG0694		同轴电缆枪头套件
	MVG0694-01		EPDM外皮枪头套件
1.1	MSM0624	CV0179	45-85A
● 1.2	MSM0622	CV0177	105A
2	MSM0711	CV0261	气刨Gouging 45-105A
3.1	MVS0693	PC0148	45-85A
● 3.2	MVS0694	PC0149	105A
4.1	MVU0653-09	PD0158-09	Φ0.9mm 45A
4.2	MVU0653-11	PD0158-11	Φ1.1mm 65A
4.3	MVU0653-13	PD0158-13	Φ1.3mm 85A
● 5	MVU0653-15	PD0158-15	Φ1.5mm 105A
● 6	MVU0632-13	PD0186-13	Φ1.3mm气刨Gouging 45-85A
● 7	MVU0632-15	PD0186-15	Φ1.3mm气刨Gouging 105A
8	MVF3003		
9	MVB0032		
10	MVZ0694		

LINKFORCE[®] PLASMA PMX-D105



可选配附件(A or D)
X表示基础样式(A=Basic Style)
R表示有数显屏(D=Digital Display)


- A** 额定电流 105A WITH NHF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 5.0 -5.5BAR
- L** 气流量 250-260L/min
- 气体延时 100s POST FLOW**
- 切割厚度 25mm(500mm/min) RECOMMENDED VALUE**



整枪订购编号+可选配附件

Procurement code+Optional accessory (? = A or D)

- | | | | |
|----------|---|------------------------|---|
| A | AVT0261+(?) | 6M | 1/4G 气电一体/2芯
Pneumatic-electric Integrated/2 Wires |
| B | AVT0262+(?) | 6M | 1/4G 气电分体/2芯
Gas electric Separator/2 Wires |
| C | AVT0264+(?)
AVT00264+(?) | 6M
6M | 中央插头/2芯
中央插头/4芯
Central Adapter+2/4 Wires |
| D | AVT0274+(?) | 6M | 中央插头/同轴
Central Adapter/Coaxial |



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)


Position	Code	Ref.	Description
0	AVG0997A AVG0997D		枪头套件 Torch head kit
1.1	MSM0623	CV0178	45-85A
● 1.2	MSM0621	CV0176	105A
2	MSM0711	CV0261	气刨Gouging45-105A
3.1	MVS0693	PC0148	45-85A
● 3.2	MVS0694	PC0149	105A
4.1	MVU0653-09	PD0158-09	Φ0.9mm 45A
4.2	MVU0653-11	PD0158-11	Φ1.1mm 65A
4.3	MVU0653-13	PD0158-13	Φ1.3mm 85A
● 5	MVU0653-15	PD0158-15	Φ1.5mm 105A
6	MVU0632-13	PD0186-13	Φ1.3mm气刨Gouging 45-85A
7	MVU0632-15	PD0186-15	Φ1.3mm气刨Gouging 105A
● 8	MVF3003	PE8008	
● 9	MVB0032	PR0087	
10	MVZ0694	PF0149	
11	MHQ0070	BX0020	
12.1	AGV1002A		
12.2	AGV1002D		手柄组件 Handle kit

PLASMA IPT-D100



可选配附件(A or D)
X表示基础样式(A=Basic Style)
R表示有数显屏(D=Digital Display)


- A** 额定电流 100A WITH NHF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5 -5.0BAR
- L/min** 气流量 200L/min
- 气体延时 100s POST FLOW**
- 切割厚度 25mm(500mm/min) RECOMMENDED VALUE**



整枪订购编号+可选配附件

Procurement code+Optional accessory (? = A or D)

- | | | | |
|----------|---------------------|-----------|--|
| A | AVT0181+(?) | 6M | 1/4G 气电一体/2芯/后引弧
Pneumatic-electric Integrated/2 Wires/back striking |
| B | AVT0182+(?) | 6M | 1/4G 气电分体/2芯/后引弧
Gas electric Separator/2 Wires/back striking |
| C | AVT0184+(?) | 6M | 中央插头/2芯/后引弧
Central Adapter/2 Wires/back striking |
| D | AVT00184+(?) | 6M | 中央插头/4芯/后引弧
Central Adapter/4 Wires/back striking |
| E | AVT0194+(?) | 6M | 中央插头/同轴
Central Adapter/Coaxial |



配件订购编号

Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description	Position	Code	Ref.	Description
0	AVG1998A		枪头套件 Torch head kit	14	MVF1662	60025	
	AVG1998D			● 15	MVF1661	60026	
● 1	MSM0085	60444		● 16	MVB1676	52556	
2	MSM0700	60504		● 17	MZN0774	09700.48	
3	MSM0644	60505		18	MVZ0045		
4	MSM1064	60508		19	MHQ0070		
5	MVS1678-05	60500	玻纤 Fiber glass	20.1	AGV1001A		
● 6	MVS1676-05	60501	玻纤 Fiber glass	20.2	AGV1001D		手柄组件 Handle kit
7	MVS1674-05	60502	接触				
8	MVU1672-09	51245.09	Φ0.9mm 30-40A				
9.1	MVU1678-10	51246.10	Φ1.0mm 50A				
9.2	MVU1678-11	51246.11	Φ1.1mm 60A				
9.3	MVU1678-12	51246.12	Φ1.2mm 70A				
10.1	MVU1676-14	51248.14	Φ1.4mm 90A				
10.2	MVU1676-15	51248.15	Φ1.5mm 100A				
● 10.3	MVU1676-16	51248.16	Φ1.6mm 100-120A				
11.1	MVU1674-10	51276.10	Φ1.0mm50A 接触				
11.2	MVU1674-11	51276.11	Φ1.1mm60A 接触				
11.3	MVU1674-12	51276.12	Φ1.2mm70A 接触				
12.1	MVU1686-14	51278.14	Φ1.4mm90A 接触				
12.2	MVU1686-15	51278.15	Φ1.5mm100A接触				
12.3	MVU1686-16	51278.16	Φ1.6mm100-120A接触				
13	MVU1687-22	51278G.22	Φ2.2mm120A气刨				

IPT-D105

MADE IN CHINA

SPARE PARTS 配件 IPT-D100

LINKFORCE® PLASMA LT50/LTM50





可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A 额定电流 50A WITH HF
- 60% 暂载率 60% DUTY CYCLE
- Pa 气压 4.5-5.0 BAR
- L min 气流量 120L/min
- 气体延时 50s POST FLOW

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A	AVT6800+(?)	6M	1/8 G
	MVT6730	6M	1/8 G
B	AVT6805+(?)	6M	1/4 G
	MVT6722	6M	1/4 G
C	AVT6806+(?)	6M	M14*1
	MVT6723	6M	M14*1
D	AVT6808+(?)	6M	M16*1.5
	MVT6724	6M	M16*1.5
E	AVT6804+(?)	6M	中央插头
	MVT6736	6M	中央插头



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG0710-00X AVG0710-00Y AVG0710-00Z		枪头套件 Torch head kit
	MVG0810-00		直柄枪头套件 Torch head kit
● 1	MSM0603	CV0108	
2	MSM0006	CV0001	
● 3.1	MVS0008-03	PC0003-03	胶木 Bakelite
3.2	MVS0008-05	PC0003-05	玻纤 Fiber glass
4	MVU0069-10	1306	加长锥形
5.1	MVU0019-10	1370	Φ1.0mm 加长
5.2	MVU0018-10	1395	Φ1.0mm 加长
5.3	MVU0018-11	PD0063-11	Φ1.1mm 加长
6	MVU0064-10	1305	锥形
● 7.1	MVU0033-10	1396	Φ1.0mm
7.2	MVU0033-11		Φ1.1mm
7.3	MVU0033-12		Φ1.2mm
7.4	MVU0065-10	1304	Φ1.0mm
● 8	MVF0002	PE0007	
9	MVB0015	1518-HF	
● 10	MVB0062	1521-HF	
● 11	MVZ0050	PF0050	
12	MVZ0085	PF0035	

Position	Code	Ref.	Description
● 13.1	MHQ0433		适用于 Refer to Y、Z
13.2	MHQ0433-1		适用于 Refer to X
14.1	AGV1001X		
● 14.2	AGV1001Y		手柄组件 Handle kit
14.3	AGV1001Z		


LINKFORCE® PLASMA LT70/LTM70



- A** 额定电流 70A WITH HF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 130L/min
- 沙漏** 气体延时 70s POST FLOW

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A	AVT6870+(?)	6M	1/8 G
	MVT6740	6M	1/8 G
B	AVT6872+(?)	6M	1/4 G
	MVT6742	6M	1/4 G
C	AVT6878+(?)	6M	M16*1.5
	MVT6744	6M	M16*1.5
D	AVT6874+(?)	6M	中央插头
	MVT6746	6M	中央插头



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1720X AVG1720Y AVG1720Z		枪头套件 Torch head kit
	MVG1820		直柄枪头套件 Torch head kit
1	MSM6662	1405	
2	MSM0060	1394	
3	MSM0007	CV0002	
4.1	MVS0087-03	PC0032-03	胶木 Bakelite
4.2	MVS0087-05	PC0032-05	玻纤 Fiber glass
5.1	MVU0065-09	1309	Φ0.9mm
5.2	MVU0033-10	1396	Φ1.0mm
5.3	MVU0033-11		Φ1.1mm
5.4	MVU0033-12		Φ1.2mm
6.1	MVU0028-10	PD0073-10	Φ1.0mm 扁平
6.2	MVU0028-12	PD0073-12	Φ1.2mm 扁平
7.1	MVU0064-10	1305	Φ1.0mm
7.2	MVU0064-12		Φ1.2mm
8.1	MVU0018-10	1395	Φ1.0mm
8.2	MVU0018-11		Φ1.1mm
8.3	MVU0018-12		Φ1.2mm
9	MVU0069-10	1306	
10	MVF0002	PE0007	

Position	Code	Ref.	Description
11	MVB0018	1402	
12	MVB0019	1368	
13	MZN0766	3.065.204	
14	MVZ0015		
15	MVZ0073		
16.1	MHQ0433		适用于 Refer to Y、Z
16.2	MHQ0433-1		适用于 Refer to X
17.1	AGV1001X		
17.2	AGV1001Y		手柄组件 Handle kit
17.3	AGV1001Z		

LINKFORCE® PLASMA LT81/LTM81




可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 80A WITH HF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 160L/min
- 沙漏** 气体延时 80s POST FLOW

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A	AVT6900+(?)	6M	3/8 G
	MVT0630	6M	3/8 G
B	AVT6909+(?)	6M	1/4 G
	MVT0706	6M	1/4 G
C	AVT6901+(?)	6M	M14*1.5
	MVT0708	6M	M14*1.5
D	AVT6905+(?)	6M	M16*1.5
	MVT0707	6M	M16*1.5
E	AVT6907+(?)	6M	中央插头
	MVT0636	6M	中央插头



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1602X AVG1602Y AVG1602Z		枪头套件 Torch head kit
	MVG0850-00		直柄枪头套件 Torch head kit
1	MSM0706	CV0201	
2	MSM0088	CV0033	
3	MSM0073	CV0028	
4.1	MVS0665-03	PC0115	胶木 Bakelite
4.2	MVS0665-05		玻纤 Fiber glass
5.1	MVU0605-10	PD0105-10	Φ1.0mm
5.2	MVU0605-11	PD0105-11	Φ1.1mm
5.3	MVU0605-12	PD0105-12	Φ1.2mm
6.1	MVU0601-10	PD0106-10	Φ1.0mm 加长
6.2	MVU0601-12	PD0106-12	Φ1.2mm 加长
7	MVF0602	PE0107	接触
8	MVB0604	FH0560	
9	MZN0510	PR0109	
10	MVB0665	PR0115	
11	MZN0516	FH0561	
12	MVZ0690	PF0140	
13	MVZ0670	EA0125	

Position	Code	Ref.	Description
14.1	MHQ0433		适用于 Refer to Y、Z
14.2	MHQ0433-1		适用于 Refer to X
15.1	AGV1001X		
15.2	AGV1001Y		手柄组件 Handle kit
15.3	AGV1001Z		

LINKFORCE® PLASMA LT100/LTM100



可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 100A WITH HF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 180L/min
- 沙漏** 气体延时 100s POST FLOW

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A	AVT6850+(?)	6M	1/8 G
	MVT6761	6M	1/8 G
B	AVT6856+(?)	6M	1/4 G
	MVT6765	6M	1/4 G
C	AVT6858+(?)	6M	M14*1
	MVT6762	6M	M14*1
D	AVT6859+(?)	6M	M16*1.5
	MVT6763	6M	M16*1.5
E	AVT6857+(?)	6M	中央插头
	MVT6764	6M	中央插头



1/4G



M14X1




M16X1.5



Central adaptor
中央插头



MADE IN CHINA



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1790X AVG1790Y AVG1790Z		枪头套件 Torch head kit
	MVG0890-00		直柄枪头套件 Torch head kit
1	MSM0069	W0300177	
2	MSM0067	1408/W0300131	
3	MSM0066	W0300130	
4	MVS0082-05	W0300129	
5.1	MVU0071-11	1371/W0300125	Φ1.1mm
5.2	MVU0071-13	1372/W0300174	Φ1.3mm
5.3	MVU0071-16	1373/W0300175	Φ1.6mm
6	MSM0099	W0300184	
7	MSM0083	W0300180	接触
8	MVS0083-05	W0300138	接触
9.1	MVU0073-13	W0300135	Φ1.35mm 扁平
9.2	MVU0073-16	W0300137	Φ1.6mm 扁平
10	MVF0004	1377/W0300124	
11	MVB0089	1376/W0300123	
12	MZN0769	W0300122	
13	MSM0003	W0300182	接触
14	MSM0004	W0300183	加长接触

Position	Code	Ref.	Description
15.1	MVU0075-13	W0300178	Φ1.3mm 加长
15.2	MVU0075-16	W0300179	Φ1.6mm 加长
15.3	MVU0075-18		Φ1.8mm 加长
15.4	MVU0080-11	1369/W0300134	加长接触
16	MVB0095	1517/W0300133	加长
17	MZN0762		加长
18	MVF9006		
19	MVZ0025		
20	MVZ0082		
21.1	MHQ0433		适用于 Refer to Y、Z
21.2	MHQ0433-1		适用于 Refer to X
22.1	AGV1001X		
22.2	AGV1001Y		手柄组件 Handle kit
22.3	AGV1001Z		

LT 100/LTM100

SPARE PARTS 配件 LT 100/LTM100

PLASMA LT101/LTM101



可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 100A WITH HF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 180L/min
- 沙漏** 气体延时 100s POST FLOW

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A AVT6956+(?) 6M 3/8 G
MVT0682 6M 3/8 G



B AVT6959+(?) 6M 1/4 G
MVT0681 6M 1/4 G



C AVT6950+(?) 6M M14*1
MVT0660 6M M14*1




D AVT6958+(?) 6M M16*1.5
MVT0683 6M M16*1.5



E AVT6957+(?) 6M 中央插头
MVT0666 6M 中央插头



MADE IN CHINA



配件订购编号
Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1760X AVG1760Y AVG1760Z		枪头套件 Torch head kit
	MVG1600		直柄枪头套件 Torch head kit
1	MSM0069	W0300177	
2	MSM0067	1048/W0300131	
3	MSM0066	1386/W0300130	
4	MVS0666-05	PC0111	
5	MSM0084	CV0039	
6	MSM0078	CV0023	接触
7	MVS0680-05	PC0130	接触
8.1	MVU0606-11	PD0101-11	Φ1.1mm
8.2	MVU0606-14	PD0101-14	Φ1.4mm
8.3	MVU0606-17	PD0101-17	Φ1.7mm
9	MVF0606	PE0101	
10	MVB0606	PR0101	
11	MZN0517	FH0562	
12	MSM0099	W0300184	
13	MSM0003	W0300182	接触
14	MSM0004	W0300183	加长接触
15.1	MVU0662-11	PD0117-11	Φ1.1mm 加长

Position	Code	Ref.	Description
15.2	MVU0662-14	PD0117-14	Φ1.4mm 加长
15.3	MVU0662-17	PD0117-17	Φ1.7mm 加长
15.4	MVU0666	PD0111	加长
16	MVB0661	PR0116	加长
17	MVF9006	PE4001	
18	MVZ0695	PF0145	
19	MVZ0665	PF0115	
20.1	MHQ0433		适用于 Refer to Y、Z
20.2	MHQ0433-1		适用于 Refer to X
21.1	AGV1001X		
21.2	AGV1001Y		手柄组件 Handle kit
21.3	AGV1001Z		

LT101/LTM101

SPARE PARTS 配件 LT101/LTM101

PLASMA LT141/LTM141



可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 140A WITH HF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 220L/min
- 沙漏** 气体延时 140s POST FLOW

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A AVT6501+(?) 6M 3/8 G
MVT0605 6M 3/8 G



B AVT6507+(?) 6M 1/4 G
MVT0681 6M 1/4 G



C AVT6500+(?) 6M M14*1
MVT0608 6M M14*1




D AVT6504+(?) 6M M16*1.5
MVT0697 6M M16*1.5



E AVT6509+(?) 6M 中央插头
MVT0695 6M 中央插头



MADE IN CHINA



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1770X AVG1770Y AVG1770Z		枪头套件 Torch head kit
	MVG1601		直柄枪头套件 Torch head kit
1	MSM0068	1406	
2	MSM0069	W0300177	
3	MSM0067	1408/W0300131	
● 4	MSM0066	1386/W0300130	
● 5	MVS0607-05	PC0102	
6	MSM0084	CV0039	
7	MSM0078	CV0023	接触
8	MVS0686-05	PC0131	
9.1	MVU0606-11	PD0101-11	Φ1.1mm
9.2	MVU0606-14	PD0101-14	Φ1.4mm
● 9.3	MVU0606-17	PD0101-17	Φ1.7mm
9.4	MVU0606-19	PD0101-19	Φ1.9mm
● 10	MVF0606	PE0101	
● 11	MVB0606	PR0101	
● 12	MZN0518		
13	MSM0099		
14	MSM0003	CV0008	接触

Position	Code	Ref.	Description
15	MSM0004	CV0009	加长接触
16.1	MVU0662-14	PD0117-14	Φ1.4mm 加长
16.2	MVU0662-17	PD0117-17	Φ1.7mm 加长
16.3	MVU0662-19	PD0117-19	Φ1.9mm 加长
16.4	MVU0666	PD0111	加长
17	MVF0608	PE0103	加长
● 18	MVB0661	PR0116	
● 19	MVF9007		
20	MVZ0655		
● 21	MVZ0607		
22.1	MHQ0433		适用于 Refer to Y、Z
22.2	MHQ0433-1		适用于 Refer to X
● 23.1	AGV1001X		
23.2	AGV1001Y		手柄组件 Handle kit
23.3	AGV1001Z		

LT141/LTM141

SPARE PARTS 配件 LT141/LTM141

LINKFORCE® PLASMA LT150/LTM150



可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 150A WITH HF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 220L/min
- 沙漏** 气体延时 150s POST FLOW

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A AVT6820+(?) 6M 1/8 G
MVT6739 6M 1/8 G



B AVT6826+(?) 6M 1/4 G
MVT6737 6M 1/4 G



C AVT6829+(?) 6M M14*1
MVT6738 6M M14*1




D AVT6828+(?) 6M M16*1.5
MVT6731 6M M16*1.5



E AVT6827+(?) 6M 中央插头
MVT6735 6M 中央插头



MADE IN CHINA



配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	AVG1750X AVG1750Y AVG1750Z		枪头套件 Torch head kit
	MVG0800		直柄枪头套件 Torch head kit
1	MSM0068	CV0013	
2	MSM0069	W0300177	
3	MSM0067	1408/W0300131	
● 4	MSM0066	1386/W0300130	
● 5	MVS0007-05	1389	
6.1	MVU0071-11	1371	Φ1.1mm
6.2	MVU0071-13	1372/W0300174	Φ1.3mm
● 6.3	MVU0071-16	1373/W0300175	Φ1.6mm
6.4	MVU0071-18	1374	Φ1.8mm
7	MSM0099	W0300184	
8	MSM0083	W0300180	接触
9	MVS0089-05	PC0034-05	接触
10.1	MVU0073-14	W0300135	Φ1.35mm
10.2	MVU0073-16	W0300137	Φ1.6mm
10.3	MVU0073-18	PC0028-18	Φ1.8mm
● 11	MVF0004	1377/W0300124	
● 12	MVB0089	1376/W0300123	
● 13	MZN0768	1378	

Position	Code	Ref.	Description
14	MSM0003	W0300182	接触
15	MSM0004	W0300183	加长接触
16.1	MVU0075-14		Φ1.4mm 加长
16.2	MVU0075-16	W0300179	Φ1.6mm 加长
16.3	MVU0075-18		Φ1.8mm 加长
16.4	MVU0080-11	1369/W0300134	加长
17	MVB0095	1517/W0300133	加长
18	MZN0764	FH0219	
● 19	MVF9007	PE4002	
● 20	MVZ0030	PF0080	
21	MVZ0089	PF0034	
● 22.1	MHQ0433		适用于 Refer to Y、Z
22.2	MHQ0433-1		适用于 Refer to X
23.1	AGV1001X		
● 23.2	AGV1001Y		手柄组件 Handle kit
23.3	AGV1001Z		

LT150/LTM150

SPARE PARTS 配件 LT150/LTM150

LINKFORCE® PLASMA LT151/LTM151



可选配附件 (X or Y or Z)
X表示基础样式 (X=Basic Style)
Y表示有LED灯 (Y=LED)
Z表示有LED灯+蓝牙 (Z=LED+Wi-Fi)

- A** 额定电流 150A WITH HF
- 60%** 暂载率 60% DUTY CYCLE
- Pa** 气压 4.5-5.0 BAR
- L min** 气流量 220L/min
- 沙漏** 气体延时 150s POST FLOW

整枪订购编号+可选配附件
Procurement code+Optional accessory (? = X or Y or Z)

A AVT6551+(?) 6M 3/8 G
MVT0751 6M 3/8 G



B AVT6557+(?) 6M 1/4 G
MVT0759 6M 1/4 G



C AVT6550+(?) 6M M14*1
MVT0672 6M M14*1



D AVT6553+(?) 6M M16*1.5
MVT0753 6M M16*1.5



E AVT6559+(?) 6M 中央插头
MVT0757 6M 中央插头




MADE IN CHINA

配件订购编号 Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description	Position	Code	Ref.	Description
0	AVG1750X AVG1750Y AVG1750Z		枪头套件 Torch head kit	12	MSM0099	W0300184	
	MVG0800		直柄枪头套件 Torch head kit	13	MSM0003	W0300182	接触
1	MSM0059	51953		14	MSM0004	W0300183	加长接触
2	MSM0094	51911		15.1	MVU0662-14	51149.14	Φ1.4mm 加长
3	MSM0093	51912		15.2	MVU0662-17	51149.17	Φ1.7mm 加长
4	MVS0686-05	PC0131-05		15.3	MVU0662-19	51149.19	Φ1.9mm 加长
● 5	MSM6605	60379		15.4	MVU0666	51149	加长
● 6	MHJ0684	60388		16	MVB0661	52530	加长
● 7	MVS0670-05	PC0120-05		● 17	MVF9007	60080	
8.1	MVU0604-14	51241	Φ1.4mm	● 18	MVZ0610	06901	
8.2	MVU0604-16	51242	Φ1.6mm	19	MVZ0666	06910	
● 8.3	MVU0604-18	51243	Φ1.8mm	● 20.1	MHQ0433		适用于 Refer to Y、Z
8.4	MVU0604-30	51244	Φ3.0mm	20.2	MHQ0433-1		适用于 Refer to X
● 9	MVF0608	60031		21.1	AGV1001X		
● 10	MVB0666	52534		● 21.2	AGV1001Y		手柄组件 Handle kit
● 11	MZN0518	FH0563		21.3	AGV1001Z		



LT151/LTM151

SPARE PARTS 配件 LT151/LTM151

 PLASMA **CB 200**



- A

额定电流 200A WITH **HF**
- 

暂载率 60% DUTY CYCLE
- 

气压GAS PRESSURE 3.0 BAR
- 


气流量GAS FLOW 44-48L/min
- 

冷却水WATER COOLED 1.4L/min
- 

气体延时 **60s** POST FLOW

整枪订购编号
Procurement code

A **MVT13921** **6M** 中央插头Central Adapter



配件订购编号
Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0617		枪头套件 Torch head kit
● 1	MVS0003-05	PC0008-05	
2.1	MVU0003-10	PD0008-10	Φ1.0mm
2.2	MVU0003-13	PD0008-13	Φ1.3mm
2.3	MVU0003-16	PD0008-16	Φ1.6mm
● 2.4	MVU0003-18	PD0008-18	Φ1.8mm
● 3	MVB0003	PR0008	
● 4	MVZ1688	PF6133	



 PLASMA IPR 400



- A** 额定电流 400A WITH **HF**
-  暂载率 100% DUTY CYCLE
-  气压GAS PRESSURE 5.5-6.0 BAR
-  气流量GAS FLOW 90-110L/min
-  气体延时 **60s** POST FLOW
-  切割厚度 **50mm**(500mm/min) RECOMMENDED VALUE

整枪订购编号
Procurement code

A **MVG0551** **6M** 中央插头Central Adapter




配件订购编号
Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)

Position	Code	Ref.	Description
0	MVG0551		枪头套件 Torch head kit
● 1	MZT0810	FA0360	
● 2	MSM0750	CV0250	
● 3	MVF0680	PE0130	
● 4	MSM0751	CV0251	
5.1	MVU0784-16	PD0239-16	Φ1.6mm
5.2	MVU0784-18	PD0239-18	Φ1.8mm
5.3	MVU0784-20	PD0239-20	Φ2.0mm
5.4	MVU0784-24	PD0239-24	Φ2.4mm
● 5.5	MVU0784-26	PD0239-26	Φ2.6mm
● 6	MVF0056	PE0051	
● 7	MVB0697	PR0142	
● 8	MZN0426	FH0971	
● 9	MVZ0737	PF0282	



 PLASMA IPW 350

- A** 额定电流 350A WITH HF
- 100%** 暂载率 100% DUTY CYCLE
- Pa** 气压 GAS PRESSURE 3.5 BAR
- L/min** 等离子气体 Ar 1~5L/min
PLASMA GAS FLOW
- h** 保护气体 H₂/He 5~20L/min
PROTECTION GAS FLOW
- ||** 可焊接材料厚度 0.5~12mm
WELDABLE MATERIAL THICKNESS



整枪订购编号
Procurement code

MVT0300 **4M** 快插式
Quick Connector Type



配件订购编号
Consumables procurement code

(带“●”为标准配置 / With“●”is the standard configuration)


Position	Code	Ref.	Description
● 1	MZH0195		
2.1	MVU0635-28	PD0185-28	Φ2.8mm
● 2.2	MVU0635-32	PD0185-32	Φ3.2mm
3	MVU0635-40	PD0185-40	Φ4.0mm
● 4	MFT8533-10	EA3588-10	
● 5.1	MVS0656-1	PC0151-1	
5.2	MVU0656-2	PC0151-2	
● 6	MCK0641	MQ0196	
● 7	MCK0645	MQ0195	
● 8	MVZ0730	PF0280	
● 9	MZH6585-00	FB1535-00	10.1 To be used in conjunction with 10.1
● 10.1	MZH0199	FB0644	Can be used separately
10.2	MZH0199-01	FB0644-01	Can be used separately
10.3	MZH0199-02	FB0644-02	Can be used separately
● 11	MZH7200	FB1700	
● 12	MHJ0290	BW0740	
● 13.1	MGU0090	TD0040	
13.2	MGU0090-01		
● 14.1	MHJ0296	BW0741	
14.2	MHJ0296-01		
● 15.1	MGB0090	TR0040	
15.2	MGB0090-01	TR0040-01	
16	MCG6065	MT1015	

QUICK CONNECTORS 快速接头

	MZT8025	Φ6	红色(RED)
	MZT8035	Φ6	蓝色(BLUE)
	MZT8095	Φ6	本色(NATURAL)
	MZT8021	Φ8	红色(RED)
	MZT8031	Φ8	蓝色(BLUE)
	MZT8091	Φ8	本色(NATURAL)
	MZT8061	Φ10	红色(RED)
	MZT8062	Φ10	蓝色(BLUE)
	MZT8092	Φ10	本色(NATURAL)
	MZT8029	1/8G	红色(RED)
	MZT8039	1/8G	蓝色(BLUE)
	MZT8099	1/8G	本色(NATURAL)
	MZT8068	1/4G	红色(RED)
	MZT8069	1/4G	蓝色(BLUE)
	MZT8065	1/4G	本色(NATURAL)
	MZT8090	Φ4	本色(NATURAL)
	MZT8070	Φ6	
	MZT8089	Φ8	
	MZT8085	Φ10	


CENTRAL ADAPTORS 中央插座

1 PCS

	MTC1000	欧式中央插座-轴向 Euro Central Adaptor female-axial
	MTC1006	欧式中央插座-纵向 Euro Central Adaptor female-radial
	MTC1007	迷你欧式中央插座 Mini Euro Central Adaptor female-axial
	MZX0077	等离子中央插座/六线 CENTRE ADAPTOR MACHINESIDE 6 WIRE PLASMA

CABLE&PANEL CONNECTORS 快插

1 PCS

	MSQ4080	10-25
	MSQ4053	35-70
	MSQ4054	70-95
	MSQ4086	35-70 增强(Enhancement)
	MSQ4087	70-95 增强(Enhancement)
	MSQ4060	10-25
	MSQ4027	35-70
	MSQ4028	70-95
	MSQ4070	25
	MSQ4077	35-50
	MSQ4075	70
	MSQ4078	70 增强(Enhancement)
	MSQ4079	95
	MSQ4090	25
	MSQ4097	35-50
	MSQ4012	70
	MSQ4098	70 增强(Enhancement)
	MSQ4099	95